

MHC90GSS

90cm Canopy Flat Glass Rangehood

Flat Glass, Stainless Steel Body, Ducted and Recirculated, Aluminium Grease Filter



Benefits

Max air flow 800m³/h

Ducted and recirculated-air operation

Aluminium grease filter

Front vented

3 Speed levels



90cm size



Max.
Noise Level



Recirculation
Option



Lights

Main Features

| | |
|--------------------------------|-----------------------------------|
| Type: | Flat glass canopy |
| Colour: | Stainless steel |
| Control Type: | Push button |
| Operation Levels: | 3 speed levels |
| Lighting: | 2 x LED light bulbs |
| Filtration: | 1 x Aluminium filter |
| Air Extraction: | 800m ³ /h max air flow |
| Noise Level High: | 72dBA |
| Voltage: | 220-240V |
| Frequency: | 50HZ |
| Supply Cord & Plug: | 1.85m with 10Amp plug |
| Ducting: | Yes |
| Recirculation: | Yes |

MHC90GSS

90cm Canopy Flat Glass Rangehood

Flat Glass, Stainless Steel Body, Ducted and Recirculated, Aluminium Grease Filter

Dimensions & Weights

| | |
|---------------------------|--------|
| Unpackaged Height: | 448mm |
| Unpackaged Width: | 900mm |
| Unpackaged Depth: | 500mm |
| Unpackaged Weight: | 16.1kg |
| Packaged Height: | 578mm |
| Packaged Width: | 960mm |
| Packaged Depth: | 425mm |
| Packaged Weight: | 19kg |


| | |
|---------------------------------|---------------|
| Country of Origin: | China |
| EAN Code: | 6959449103527 |
| Manufacturer's Warranty: | 3 years |

MHC90GSS

90cm Canopy Flat Glass Rangehood

Flat Glass, Stainless Steel Body, Ducted and Recirculated, Aluminium Grease Filter

Dimensions



MHC90GSS

90cm Canopy Flat Glass Rangehood

Flat Glass, Stainless Steel Body, Ducted and Recirculated, Aluminium Grease Filter

