



BORN TO BE COMFORT PERFECTIONIST

The new Midea CASSETTE meets the higher requirement of commercial air conditioning, equipped with the individual vane control, upgraded component, ECO mode and integrated control system can smartly adjust everyone's comfort under significantly reduced energy consumption.

Individual Vane Control(*depend on panel)

Individual Vane Control,
Customized Comfort for Everyone

Durability Design

Greater Reliability with Optimized Water Tray Design

Smart Energy Saving

Smart Energy Saving contributed by
ECO Mode

Top Control and Connection

Integrated with connective Wi-Fi and BMS system

Easy Installation and Maintenance

Easy Operation Led by various of component optimization


Highlights

Individual Vane Control, customized comfort for everyone



The individual vane control system enables the unit to supply multi-directional airflow and customize everyone's comfort with a multitude of cooling configurations.

Durability Design, with optimized water tray



The water tray is specially upgraded from anti-corrosion plastic material, increased thickness and optimized structure, assuring greater durability and longer product life.

Smart Energy Saving, contributed by ECO Mode



With the ECO mode technology, users can enjoy coolness accordingly together with significantly reduced energy consumption.

Top Control and Connection, under integrated system



Upgraded Wi-Fi module and building management connectivity allow intelligent integrated control over different systems, and the twin system ensures proper air distribution to different rooms.

Easy Installation and Maintenance, save your time



Thanks to the optimized hook, piping space, water pump, and built-in connective component, the installation and maintenance time are significantly reduced.

CASSETTE

CEILING CASSETTE Compact Ceiling Cassette



Four Way Compact Ceiling Cassette

Single Phase

Capacity		10.5kW	12.5kW	14.0kW
Market Model		CASMI105IC/UCMI105OC	CASMI125IC/UCMI125OC	CASMI140IC/UCMI140OC
Type		Reverse Cycle	Reverse Cycle	Reverse Cycle
Power		220-240V, 1Ph, 50Hz		
Indoor unit		CASMI105IC	CASMI125IC	CASMI140IC
Outdoor unit		UCMI105OC	UCMI125OC	UCMI140OC
Controllers included		Infrared	Infrared	Infrared
Rated Capacity Cool/Heat	kW	10/10.5	12.9/13.3	14.1/14.5
Max. current	A	21	31	31
Net Weight	Indoor	29.3(Body)/6(Panel)		
	Outdoor	75.2	89	89
Product dimensions (HxWxD)	Indoor	287x830x830(Body)/55x950x950(Panel)		
	Outdoor	810x946x410	975x980x415	
Refrigerant Piping	Liquid side	Ø9.52mm(3/8in)		
	Gas side	Ø15.9mm(5/8in)		
Refrigerant R32	Pre-charged	m 24		
	Quantity	2.6	3.5	3.5
Max pipe length	m	75	75	75



Feature

- Follow Me
- Breezeless Technology
- Anti-Cold Air Function
- Sleep Mode
- Dehumidification
- Power Down Memory
- Timer
- Dual Control
- Auto Start
- Refrigerant Leakage Detect
- Independent Louver
- Alarm
- Emergency Using Function
- Centralized Control Port
- Remote On/Off
- Constant Air Flow (Inverter Only)
- Flash Cooling (Inverter Only)
- Multi Outdoor Fan Speed (Inverter Only)
- Rotation: Intelligent Dusting Switch (Inverter Only)

World's No.1 Residential Inverter Air Conditioner Company For 2 Consecutive Years



1. Data source: Euromonitor International (Shanghai) Limited; Consumer Appliances 2026ed, retail volume sales in units, 2024 to 2025 data.